

1145/68541

1251 PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2008 MAR 17 PM 4: 09

In re U.S. Application of:)

Applicant: Kazuaki Kurihara)

Serial No.: 10/687,404)

Conf. No.: 8607)

Filed: October 16, 2003)

For: MAGNETIC DISK DRIVE)
PIEZOELECTRIC ACTUATOR)
WITH HINGE PLATE LIMBS)
EXTENDING NON-LINEAR)
SYMMETRICALLY FROM)
CENTRAL PORTION)

Art Unit: 2627)

Examiner: Renner, Craig A.)

I hereby certify that this paper is being deposited with the United States Postal Service as FIRST-CLASS mail in an envelope addressed to: Refunds Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this date.

March 11, 2008

Date

Joseph P. For
Attorney for Applicant(s)
Registration No. 41,760

REQUEST FOR A REFUND TO DEPOSIT ACCOUNT 07-2069

Refunds Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22213-1450

Dear Sir/Madam:

On September 20, 2007, the above-mentioned deposit account was charged \$120.00 under fee code 1251 for an extension for response within one month. The non-final Office Action was mailed on June 11, 2007. The response was due on September 11, 2007, and was mailed on September 11, 2007. Hence, this charge is believed by Applicants to be incorrect.


Applicants respectfully request a refund in the total amount of \$120.00 be credited to Deposit Account No. 07-2069.

Should there be any questions regarding this Request for a Refund, please contact the undersigned attorney at the telephone number listed below.

Respectfully submitted,

GREER, BURNS & CRAIN, LTD.

By


Joseph P. Fox
Registration No. 41,760

March 11, 2008

300 South Wacker Drive
Suite 2500
Chicago, Illinois 60606
Telephone: 312.360.0080
Facsimile: 312.360.9315
Customer No. 24978

Document code: WFEE

United States Patent and Trademark Office
Sales Receipt for Accounting Date: 09/20/2007

JMASON SALE #00000001 Mailroom Dt: 09/13/2007 072069 10687404
01 FC:1251 120.00 DA

Adjustment date: 03/31/2008 HDESTA1
09/20/2007 JMASON 00000001 072069 10687404
01 FC:1251 120.00 CR